TKHR

THOMAS, KAYDEN, HORSTEMEYER & RISLEY, L.L.P.

ATTORNEYS AT LAW

100 Galleria Pkwy, NW
Suite 1750
Atlanta, GA 30339-5948
www.tkhr.com

P. S. Dara
(770) 933-9500

paul.dara@tkhr.com

FACSIMILE TRANSMISSION

June 2, 2003

[050815-1770]

TO	***FROM***
Jeanne DiGrazio	P. S. Dara
FAX: (703) 746-8741	**FAX:** 770-951-0933
TEL:	**TEL:** 770-933-9500

RE: ***Serial No. 09/842,100***

(Message)

Number of Pages (Including This Cover Sheet): - 4 - Page(s)
PLEASE ACKNOWLEDGE SAFE AND CLEAR RECEIPT OF ALL PAGES.

P.S.Dara
TKHR ref # 050815-1770

In Re Application of: Sojourner et. al.
Serial No 09/842,100
Examiner: Di Grazio, Jeanne

Proposed amendments of claims for discussion during Examiner interview to be conducted on June 2, 2003 at 10 AM

Claim 1: Proposed Amendment 1

1. A method of manufacturing a plurality of liquid crystal micro displays (lcmds), said method comprising:

providing the plurality of lcmds interconnected to one another on a common substrate;

creating a plurality of holes in a the substrate, wherein each of the plurality of holes corresponds to one of the plurality of lcmds, and each of the plurality of holes extends through the substrate from an external planar surface of the substrate to an internal opposing planar surface of the substrate;

causing liquid crystal material to flow through said plurality of holes, and to fill spaces within said plurality of lcmds; and

sealing said plurality of holes.

Claim 1: Proposed Amendment 2

1. A method of manufacturing a plurality of liquid crystal micro displays (lcmds), said method comprising:

providing a first substrate;

providing a second substrate having a first major surface, a second opposing major surface, a plurality of edges, and a plurality of holes extending between the first major surface and the second opposing major surface ~~creating a plurality of holes in a substrate, wherein each of the plurality of holes corresponds to one of the plurality of lcmds~~;

causing liquid crystal material to flow through said plurality of holes; ~~and to fill spaces within said plurality of lcmds;~~ and

sealing said plurality of holes.

Claim 14: Proposed Amendment 1

14. A liquid crystal micro display (lcmd) assembly comprising:

a first substrate; and

a second substrate having a plurality ~~of sealed holes extending through a thickness thereof, wherein each of the plurality of sealed holes corresponds to one of a plurality of lcmds;~~ of edges, a first major surface, a second opposing major surface, and a hole extending between the first major surface and the second opposing major surface; and

liquid crystal material that is located between the first substrate and the second substrate~~, and within the plurality of lcmds~~.

Claim 14: Proposed Amendment 2

14. A liquid crystal micro display (lcmd) assembly comprising:

a first substrate;

a second substrate having a plurality ~~of sealed holes extending through a thickness thereof, wherein each of the plurality of sealed holes corresponds to one of a plurality of lcmds;~~ of edges, a first major surface, a second opposing major surface, and a tapered hole extending between the first major surface and the second opposing major surface; and

liquid crystal material that is located between the first substrate and the second substrate~~, and within the plurality of lcmds~~.

Claim 14: Proposed Amendment 3

14. A liquid crystal micro display (lcmd) assembly comprising:

a first substrate;

a second substrate having a plurality ~~of sealed holes extending through a thickness thereof, wherein each of the plurality of sealed holes corresponds to one of a plurality of lcmds;~~ of edges, a first major surface, a second opposing major surface, and a funnel-shaped hole extending between the first major surface and the second opposing major surface; and

liquid crystal material that is located between the first substrate and the second substrate~~, and within the plurality of lcmds~~.

Claim 14: Proposed Amendment 4

14. A liquid crystal micro display (lcmd) assembly comprising:

a first substrate;

a second substrate having a plurality ~~of sealed holes extending through a thickness thereof, wherein each of the plurality of sealed holes corresponds to one of a plurality of lcmds;~~ of edges, a first major surface, a second opposing major surface, and a plurality of holes extending between the first major surface and the second opposing major surface; and

liquid crystal material that is located between the first substrate and the second substrate~~, and within the plurality of lcmds~~.
